



Mobile Spray Rigs

Self-Contained Systems for Foam and Coatings Applications



PROVEN QUALITY. LEADING TECHNOLOGY.

Solid Construction. Solid Investment.

Graco® Mobile Spray Rigs. Built tough for foam and coatings applications.

Designed for spraying. Built to last.

Graco offers a full line of mobile spray rigs, all built and equipped for the task at hand, and backed by warranty.



Graco Mobile Spray Rigs – insulated for better ambient temperature control and better yields

Because they're insulated, Graco Mobile Spray Rigs help control temperatures surrounding your ISO and resin materials. In cold weather, it's easier to get materials up to spray temperatures. In warm weather, air conditioning helps prevent material overheating and expanding drums, and keeps humidity at acceptable levels. In short, by keeping materials at temperatures closer to manufacturers' recommendations, you have better control of the reaction between A and B materials, which leads to better results.

Insulation also:

- Acts as a sound barrier
- Adds structural integrity to the trailer

Built solid to support equipment and materials

- Double I-beam construction with support studs on 16-inch centers for added durability
- Double-axle rated for 14,000 lb (6,356 kg) or 16,000 lb (7,257 kg) GVWR (Gross Vehicle Weight Rating)
- Engineered to hold two or three sets of material, a generator, a compressor plus one or two proportioners
- Rugged design handles extreme job environments

Backed by warranty

- Your trailer investment is backed with a 5-year limited warranty
- New box trucks are backed with a 5-year limited warranty
- Graco equipment is backed with the standard 1-year Graco warranty



Boost productivity with a dual-proportioner layout in your mobile spray rig



Air dryer keeps humidity levels down within the air supply system



Rotary screw air compressor integrated with a generator saves valuable floor space



Martech® system provides grade D quality breathable air

20 ft Tag Along Trailer



Tag Along Trailer

- 20 ft (6 m) tag along trailer
- Holds two sets of material
- Outfitted with one proportioner
- Easy to pull with smaller trucks
- Ideal entry-level trailer
- Ample headroom: 8 ft (2.4 m) interior height
- Double-axle rated for 14,000 lb GVWR

28 ft Gooseneck Trailer



Gooseneck Trailer



- 28 ft (8.5 m) gooseneck trailer
- Holds three sets of material
- Can be outfitted with one or two proportioners
- Easy to maneuver
- For residential and commercial projects
- Ample headroom: 8 ft (2.4 m) interior height
- Double-axle rated for 16,000 lb GVWR

Box Truck




Box Truck

- Choose 18 ft (5.4 m) or 20 ft (6 m) to 28 ft (8.5 m)
- Holds two or three sets of material
- Can be outfitted with one or two proportioners
- Easiest to maneuver
- Better for projects where parking space is limited
- Ample headroom: 7.5 ft (2.3 m) interior height
- Weight load dependent on selected truck size



Single-proportioner layout is available on all mobile spray rigs



Dual-proportioner layout is available on gooseneck or 20 to 28 ft box truck

Standard features


All Graco Mobile Spray Rigs include:

- Your choice of Graco proportioner(s) either hydraulic or electric
- Your choice of Graco spray gun
- 40 kW diesel generator
- Your choice of air equipment
 - Rotary screw compressor (40 cfm) integrated with generator saves floor space and reduces system amperage requirements
 - 5 hp Champion® compressor (17.5 cfm)
 - 5 hp Champion compressor (Vertical) (17.5 cfm)
 - 10 hp Champion compressor (35 cfm)
 - All air systems include installation and plumbing, refrigerated air dryer, regulators, quick disconnects and correct sizing for application
- Heated hose – 2000 psi (138 bar, 13.8 MPa) or 3500 psi (241 bar, 24.1 MPa)
- Hose hatch – allows you to keep the main doors closed and maintain ambient temperature inside trailer
- Bogey wheels – offer skid protection to the back end of trailer
- Safety chains and electric breakaway brake system that applies brakes on your trailer if it comes loose from the hitch
- Spare tire (trailers only)
- Proper ventilation. Engineered louver system keeps generator from overheating
- Color-coded drum restraints
- Insulated partition wall between utilities and cabin separates generator from proportioner – reducing noise during operation
- Electrical system with breaker panel
- Hose hanger – 410 ft (125 m) capacity
- 5/16 in (0.794 cm) plywood walls
- Double 3/4 in (1.9 cm) plywood flooring under generator (trailers only)
- Heavy-duty 8 in (20.3 cm) main beam construction (trailers only)
- Two ABC approved fire extinguishers
- First aid kit

Options

- Workbench
- Cabinets
- Counter lighting
- Feed pump system
- Band heater with thermostat
- Rooftop air conditioning unit
- Air dryer
- Machine recirculation system
- Gun recirculation system
- Drum lids
- Drum mixer
- Martech system for fresh air supply

Ask your Graco distributor to demonstrate the configurator tool for your next mobile spray rig.





ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612.623.6000
Fax: 612.623.6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32.89.770.700
Fax: 32.89.770.777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd
Suite 17 2 Enterprise Drive
Bundoora Victoria 3083
Australia
Tel: 61 3 9467 8558
Fax: 61 3 9467 8559

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Room 118 1st Floor
No.2 Xin Yuan Building
No.509 Cao Bao Road
Shanghai, P.R. China 200233
Tel: 86.21.649.50088
Fax: 86.21.649.50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 103, Level 4, Augusta Point
Golf Course Road
Gurgaon, Haryana, India 122001
Tel: +91.124.435.4208
Fax: +91.124.435.4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81.45.593.7300
Fax: 81.45.593.7301

KOREA

Graco Korea Inc.
Choheung Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-Si, Gyunggi-Do,
Korea 431-060
Tel: 82.31.476.9400
Fax: 82.31.476.9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

877.84GRACO (1-877-844-7226) or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

Graco Ohio
800-746-1339
Fax 330-966-3006